

TPREL/HSE/FY26/MFG/10

26th May 2025

To,
The Environmental Officer
Karnataka State Pollution Control Board
#49, Parisara Bhavana,
Church Street, Bangalore-560001

Dear Sir,

Sub: Submission of Annual Returns for Bio-Medical Waste – Form IV for TPREL Manufacturing Plant with PCB ID 15187 for the period of Jan 2024 - Dec 2024.

With reference to the subject mentioned above, we hereby submit the Annual Returns for Bio-Medical Waste – Form IV for our Tata Power Renewable Energy Ltd. (Formerly Tata Power Solar Systems Ltd.) Manufacturing Plant, located at Plot No. 43 (P) & 44 (P), Phase II, Electronic City, Hosur Road, Bangalore, for the period of Jan 2024 - Dec 2024. This submission is made in the prescribed form (Annual Returns for Bio-Medical Waste – Form IV).

Kindly acknowledge receipt of this submission.

Thanking You,

Yours Faithfully,

Tata Power Renewable Energy Ltd ENABLE

Mr. Raghu Tatachar

Head-Manufacturing, TPREL

43P & 44P
Phase 2
Electronics City
Hosur Road
Blore-100

RECEIVED

2 STAY 2025

KSPCB, Bangalore

Enclosed: Annual Returns for Bio-Medical Waste – Form IV

CC.

The Regional Officer,
Bommanhalli Regional Office,
Nisarga Bhavan, Karnataka State Pollution Control Board,
Third Floor, Thimmaiah Road, Bengaluru.



Page 1 | 5

TATA POWER RENEWABLE ENERGY

Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sr.No.	Particulars		
1.	Particulars of the Occupier		
	(i) Name of the authorized person (occupier or operator of facility)	:	Mr. Raghu Tatachar Head – Manufacturing, Tata Power Renewable Energy Ltd.
	(ii) Name of HCF or CBMWTF	:	Manufacturing plant OHC
	(iii) Address for Correspondence		Tata Power Renewable Energy Ltd. (Formerly TATA Power Solar Systems Limited) 43 P & 44 P, Electronic City Ph 2, Hosur Road Bangaluru 560100
	(iv) Address of Facility	:	Same as above
	(v) Tel. No, Fax. No	:	022 6777 2999
	(vi) E-mail ID	;	tatachr@tatapower.com
	(vii) URL of Website	:	www.tatapowersolar.com
	(viii) GPS coordinates of HCF or CBMWTF	:	Latitude- 12^50'55" Longitude- 77^40'32"
	(ix) Ownership of HCF or CBMWTF	:	Owned by Tata Power Renewable Energy Ltd. (Formerly TATA Power Solar Systems Limited)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No.: 13/PCB/RO/BMN/BMW-2022- 23/26/354 Issued date: 20 th May, 2022
	(xi). Status of Consents under Water Act and Air Act	•	Valid
2.	Type of Health Care Facility	:	
*	(i) Bedded Hospital	:	No. of Beds: Not Applicable
8	(ii) Non-bedded hospital	•	YES,
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		Occupational Health Care Facility located within manufacturing plant.
	(iii) License number and its date of expiry	:	Not Applicable
3.	Details of CBMWTF	:	

	(i) Number healthcare facilities	:	Not Applicable		. , , , , , , , , , , , , , , , , , , ,	
	covered by CBMWTF	-				
	(ii) No of beds covered by CBMWTF	:	Not Applicable			
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Not Applicable			
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	Not Applicable			
4.	Quantity of waste generated or	:	Yellow Category: 0.895	KG per	annum	9:
	disposed in Kg per annum (on		Red Category: 1.119 KG	per an	num	
	monthly average basis)		White Category: 0.073			
			Blue Category: 1.121			
			General Solid waste: NIL			
5.	Details of the Storage, treatment, tra	ns	portation, processing and	d Dispos	sal Facility	
	(i) Details of the on-site storage		Size : Not Applicable	•		
	facility		Capacity : Not Applicab	le	-	
			Provision of on-site sto		cold storag	e or
			any other provision)	0 - (,
	(ii) Disposal facilities		Type of treatment	No	Capacity	Quantity
E N			equipment	of	Kg/day	treated or
				units		disposed
	*		_			in kg per
						annum
			Incinerators			
			Plasma Pyrolysis Autoclaves			
			Microwave			
			Hydroclave	NA	NA	NA
			Shredder	147	INA	IVA
8			Needle tip cutter or			
			destroyer			
	,		Sharps encapsulation			
			or			
			concrete pit			
			Deep burial pits:			
			Chemical disinfection: Any other treatment			
			equipment:			
	8		equipment.			
12.	(iii) Quantity of recyclable wastes	:	Not Applicable			
		198	a see a speciment			
	sold to authorized recyclers after					

4	(iv) No of vehicles used for collection and transportation of biomedical waste	:	Not Applicable		
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg			Quantity Generated	Where Disposed
	per annum		Incineration Ash ETP Sludge	NA NA	NA NA
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	:	MARIDI BIO INDUST 35 th Mile stone, 562112.	RIES PVT. LTD. Kanakapura	road, Bengaluru-
	(vii) List of member HCF not handed Over bio-medical waste.		Not Applicable		
6.	Do you have bio-medical waste Management committee? If yes, attach minutes of the meetings held during the reporting period.		Designated person monitor the activition management in OHO	es relating to b	to review and io medical waste
7.	Details trainings conducted on BMW				
e	(i) Number of trainings conducted on BMW Management		1		-
	(ii) number of personnel trained		17		
٨	(iii) number of personnel trained at the time of induction		7		
2	(iv) number of personnel not undergone any training so far		NIL		
	(v) Whether standard manual for Training is available?		YES		
	(vi) any other information		NIL		·
8.	Details of the accident occurred during the year			1	
	(i) Number of Accidents occurred		30		
	(ii) Number of the persons affected		30		
ii	(iii) Remedial Action taken (Please attach details if any)		Basic First Aid perfor incidents occurred w	med by OHC do	ctor for all nises.
	(iv) Any Fatality occurred, details	+	NIL		

9.	Are you meeting the standards of air	T	Not Applicable
	Pollution from the incinerator? How		Not Applicable
	many times in last year could not		
	meet the standards?		
	Details of Continuous online	+-	Note A distribution
			Not Applicable
	installed.		
10.	Linuid	-	No. A. H. L.
	treatment Methods in place. How		Not Applicable
	many times you have not met the		
	standards in a year?		
11.	le the disinful:		
± ± .			Not Applicable
	sterilization meeting the log 4		
	Standards? How many times you		
	have not met the standards in a		
12	year?		
12.	Any other relevant information	:	NIL
	·		

Certified that the above report is for the period from January 2024 to December 2024.

Date: 26th May 2025 Place: Bengaluru